

# Safety data sheet

## according to Regulation (EC) No. 1907/2006



**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Substances

Substance name: Rosin  
EC No.: 232-475-7  
CAS No.: 8050-09-7  
Index number: 650-015-00-7  
REACH registration number:  
Approval no.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

For application to bow hair for string bows

##### Uses advised against

Not suitable for consumption

##### Reason for advising against use:

Allergic reactions possible

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier

Musikhaus Kirstein GmbH (Dealer):  
Bernbeurer Str. 11  
86956 Schongau  
+4988619094940  
info@kirstein.de

#### 1.4 Emergency telephone number

Munich Poison Control Center (24 h, Mon. - Sun.): +49 89 19240

### SECTION 2: Possible dangers

#### 2.1 Classification of the substance or mixture

According to Regulation (EC) No. 1272/2008 (CLP)	Classification procedure
Skin sensitization category 1 (Skin Sens. 1), H317	

Other information

# Safety data sheet

## according to Regulation (EC) No. 1907/2006

**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

Full text of codes, hazard statements and EU hazard statements in SECTION 16.

## 2.2 Label elements

### Labeling according to Regulation (EC) No. 1272/2008

**Hazard pictogram/s:**



**Signal word:** Warning

### Hazard warnings

H317: May cause an allergic skin reaction.

### Safety instructions

P261 Avoid breathing dust/fume/gas/mist/vapours/ spray..  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/eye protection  
P302+P352 IF ON SKIN: Wash with soap and water.  
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local requirements.

## 2.3 Other hazards:

Particles and powders may cause skin irritation due to mechanical abrasion.  
Resin dust can ignite on contact with electrostatic discharge or on contact with flames or other ignition sources.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Substance name	Identification no.	Skin sensitization category 1 (Skin Sens. 1), H317	% by weight/ % by volume
Rosin	Index No.650-015-00-7 EC No. 232-475-7 REACH No. CAS No. 8050-09-7		100 %

### 3.2 Mixtures

**Not applicable, product is a substance**

For the wording of the coded classification and the hazard statements, see section 16.

# Safety data sheet

## according to Regulation (EC) No. 1907/2006



**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

##### After inhalation:

Remove the injured person from the danger zone to fresh air under self-protection.

If breathing is difficult, inhale oxygen.

Keep the injured person calm and protect them from hypothermia.

Provide medical treatment.

As soon as possible, have a glucocorticoid inhalator and let injured person inhale deeply and repeatedly.

##### After skin contact:

Brush off any dust on the skin.

Remove contaminated clothing, taking care to protect yourself.

Clean affected areas of skin thoroughly under running water with soap.

Never use alcohol, benzine or other solvents.

After extensive contact, in case of irritation or after contamination with hot molten material, always seek medical treatment:

Seek medical treatment.

##### After eye contact:

Rinse the eye for 10 minutes under running water with the eyelids wide open while protecting the uninjured eye.

Ensure medical treatment.

In case of contact with hot molten material: Rinse the eye for 10 minutes under running water with the eyelids wide open while protecting the uninjured eye, then transport to an ophthalmologist/clinic as soon as possible.

##### After ingestion:

Rinse out mouth, spit out liquid again.

Drink some water in small sips. Never give edible oils, castor oil, milk or alcohol.

Seek medical treatment.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: Contact dermatitis

Effects: slight irritant effect on eyes and skin, skin sensitizing

#### 4.3 Indication of any immediate medical attention or special treatment needed

##### Information for the doctor (symptoms, dangers, treatment):

After exposure to dusts, solution aerosols and especially after exposure to vapors/fumes released from heated rosin (e.g. solder fumes), irritative/allergic respiratory disorders and (delayed) skin reactions are to be expected.

If signs of airway irritation or airway obstruction (possibly allergy-related) become noticeable after inhalation of vapors, smoke or aerosols, the use of glucocorticoids (inhaled) is indicated.

After oral ingestion of solid products, the application of laxatives was considered sufficient.

# Safety data sheet

## according to Regulation (EC) No. 1907/2006



**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media:**

Carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, water spray. Fight larger fires with water spray or foam

**Unsuitable extinguishing media:**

Full jet of water

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide, carbon dioxide

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus and full protective suit.

### SECTION 6: Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

General measures: Evacuate uninvolved persons, Ensure adequate ventilation, Avoid contact with eyes and skin

For non-emergency personnel:

Protective equipment: use personal protective equipment (see point 8.2)

Measures in case of dust: Do not inhale dust, keep away from sources of ignition.

#### 6.2 Environmental precautions:

Do not allow to enter drains / surface water / ground water.

#### 6.3 Methods and material for containment and cleaning up:

Cleaning method: Pick up mechanically (wipe up, sweep up) and collect in suitable container for disposal, avoid raising dust. In a molten state, first allow to solidify and then pick up.

Other information: Disposal must be carried out in accordance with official regulations.

#### 6.4 Reference to other sections (in the safety data sheet)

Information on safe handling: see section 7, use personal protective equipment: see section 8, further information on disposal: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

**Protective measures:**

Measures to prevent fires: Protect from electrostatic charges, use non-sparking tools. Protect from heat. Keep away from sources of ignition.

Measures to prevent aerosol and dust formation: Do not use compressed air to remove dust from surfaces.

Measures to protect the environment:

Do not allow to enter drains / surface water / ground water.

Advice on general occupational hygiene:

# Safety data sheet

## according to Regulation (EC) No. 1907/2006

**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

Do not wear contaminated work clothing outside the workplace and wash it before wearing it again. Avoid contact with eyes and skin, avoid dust formation, do not inhale dust

## 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions:

Store in a well-ventilated place, tightly closed, cool and dry. Keep away from sources of ignition. If dust is present, local exhaust ventilation is recommended.

### Storage instructions:

Storage class: 11

Separate storage required for storage class: 1, 5.1A, 6.2, 7

Limited combined storage permitted for storage class: 2A, 3, 4.1A, 4.2, 4.3, 5.1B, 5.1C, 5.2, 6.1A, 6.1B, 6.1C

Combined storage permitted for storage class: 2B, 4.1B, 6.1C, 6.1D, 8A, 8B, 10, 11, 12, 13

Materials to avoid: Keep away from food, drink and animal feeding stuffs. Protect from heat

### Further information on storage conditions

Recommended storage temperature: Store between 5 and 30°C

## 7.3 Specific end use(s):

Recommendations:

No further information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control Parameters

#### Occupational exposure limits

CAS No. EC No.	Type of limit value	Identifier	TWA	STEL	Ceiling-C	Note	Origin (source)
			mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>		
8050-09-7 Substance: Rosin (rosin)							
CAS 8050-09-7	Occupational exposure limit (general dust limit value)	WEL	0,05	0,15			EH40/2005
Monitoring procedure: TRGS 402							

Ceiling-C Ceiling value is a limit value above which exposure should not occur STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15- minute period (unless otherwise specified) TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### DNEL/PNEC values

**Substance name:** Rosin (rosin)

**CAS No./ EC No.** 8050-09-7 /232-475-7

**DNEL Workers**

DNEL Type	DNEL value	Remark
-----------	------------	--------

# Safety data sheet

## according to Regulation (EC) No. 1907/2006



**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

Long-term - dermal, systemic effects	2.131 mg/kg KG/day	
Long-term inhalation, local effects	10 mg/m <sup>3</sup>	

### PNEC

Environmental protection goal	PNEC value	Remark
Fresh water	0.002 mg/l	short-term (single instance)
Sea water	0 mg/l	short-term (single instance)
PNEC Sediment, fresh water	0.007 mg/kg	short-term (single instance)
PNEC Sediment, seawater	0.001 mg/kg	short-term (single instance)
PNEC Soil (agricultural)	0 mg/kg	short-term (single instance)
PNEC Microorganisms in sewage treatment plant	1000 mg/l	short-term (single instance)

### Risk management through control banding procedures

#### Control banding method: EMKG

##### a) Skin

Activity	Capability group	Effective area	Effective duration	Measure level	Protection guide
Application to bow hair for string bows	<b>C</b>	<b>Small</b>	<b>Short</b>	<b>minor</b>	<b>See protection guide 120</b>

##### b) Inhalation (dust/mist or vapors)

Activity	Hazard group	Quantity group	Effective duration	Release group	Protection guide
Application to bow hair for string bows	<b>A</b>	<b>small</b>	<b>short</b>	<b>low</b>	<b>See protection guide 120</b>

### 8.2 Exposure controls

Individual protection measures, such as Personal protective equipment

#### Eye/face protection:

Suitable eye protection: Use safety goggles with side protection

#### Skin protection:

#### Hand protection:

# Safety data sheet

## according to Regulation (EC) No. 1907/2006

**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

Wear suitable protective gloves. A chemical protective glove tested in accordance with EN 374 is suitable. It is recommended to clarify the chemical resistance of the above-mentioned protective gloves for special applications with the glove manufacturer. The time specifications are approximate values from measurements at 22 °C and continuous contact. Increased temperatures due to heated substances, body heat etc. and a reduction in the effective layer thickness due to stretching can lead to a considerable reduction in the breakthrough time. If in doubt, contact the manufacturer. If the layer thickness is approx. 1.5 times greater/smaller, the respective breakthrough time is doubled/halved. The data only apply to the pure substance. When transferred to substance mixtures, they should only be regarded as a guide. –  
Type of material NBR (nitrile rubber) –  
Material thickness >0.11 mm –  
Breakthrough time of the glove material >480 minutes (permeation level: 6)

### Body protection:

Do not wear contaminated work clothing outside the workplace. Wash contaminated clothing immediately.

### Other skin protection measures

Take rest periods to regenerate the skin. Preventive skin protection (protective creams/ointments) is recommended.

### Respiratory protection

Respiratory protection is required for: Dust formation. Particle filter device (EN 143). P1 (filters at least 80 % of the airborne particles, identification color: white). The wearing time limits according to local requirements must be observed.

### Environmental exposure controls:

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

	Parameters	Value	Method	Remark
a)	Physical state	solid		
b)	Colour	yellow-brown		
c)	Odour	Characteristic		
d)	Melting point/freezing point	66.5°C - 93.4°C at 1,013 hPa	EU Method A1	ECHA
e)	Boiling point or initial boiling point and boiling range	>300°C		
f)	Flammability	this material is flammable but will not ignite readily		
g)	Lower explosion limit Upper explosion limit	n.d.		
h)	Flash point	n.d.		
i)	Ignition temperature	n.d.		
j)	Decomposition temperature	265 °C at 102.4 kPa		(ECHA)
k)	pH value	n.d.		
l)	Kinematic viscosity	Not relevant		
m)	Solubility in water	0.9 mg/L at 20°C.	flask method	(ECHA)
n)	Partition coefficient n-octanol/water (log value)	>3-<=6,2		(ECHA)

# Safety data sheet

## according to Regulation (EC) No. 1907/2006

**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

o)	Vapor pressure	0.06 mbar at 20°C	EU Method A.4	(ECHA)
p)	Density and/or relative density	approx. 1,034 kg/m <sup>3</sup>	Pycnometer method	(ECHA)
q)	Relative vapor density	n.d.		
r)	Particle characteristics	n.d.		

\* Values refer to n.d. = not determined n.a. = not applicable

## 9.2 Other information

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

The product as delivered is not dust explosive; however, the accumulation of fine dust leads to a dust explosion hazard.

#### 10.2 Chemical stability

Decomposition possible with prolonged exposure to light.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidizing agent, acids

#### 10.4 Conditions to avoid

Protect from heat. Decomposition takes place from temperatures above: 265 °C at 102.4 kPa.

#### 10.5 Incompatible materials

No additional information is available.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

**Relevant toxicological properties:**

##### Animal studies

Substance Rosin (rosin) CAS-No.8050-09-7					
Exposure route	End point (LD /LC <sub>50</sub> / ATE)	Value	Species	Method OECD..., expert evaluation	Remark
Acute oral toxicity	LD50	>2000 mg/kg	Rat		ECHA
Acute dermal toxicity	LD50	>2000 mg/kg	Rat		ECHA



# Safety data sheet

## according to Regulation (EC) No. 1907/2006

**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

**Results:** Is not to be classified as acutely toxic.

### **Corrosive/irritant effect on the skin**

Shall not be classified as skin corrosive/irritant.

### **Serious eye damage/irritation**

Shall not be classified as seriously damaging or irritating to the eyes.

### **Sensitization of the respiratory tract or skin**

May cause an allergic skin reaction.

### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic (mutagenic).

### **Carcinogenicity**

Shall not be classified as carcinogenic

### **Reproductive toxicity**

Shall not be classified as toxic for reproduction.

### **Specific target organ toxicity (single exposure) STOT SE 1 and 2**

Shall not be classified as specific target organ toxicant (single exposure)

### **Specific target organ toxicity - repeated exposure STOT SE 1 and 2**

Shall not be classified as specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as an aspiration hazard.

## **11.2 Information on other hazards**

No additional information is available.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

According to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Short-term (acute) aquatic toxicity

<b>Acute aquatic toxicity</b>				
End point	Value	Species	Source	Exposure duration
LC50	1.7 mg/l	Fish	ECHA	96 h
LL50	<10 mg/l	Fish	ECHA	96 h
EL50	>1000 mg/l	Fish	ECHA	96 h
ErC50	39.6 mg/l	Algae	ECHA	72 h
EC50	16.6 mg/l	Algae	ECHA	72 h

### **Chronic aquatic toxicity**

# Safety data sheet

## according to Regulation (EC) No. 1907/2006

**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

End point	Value	Species	Source	Exposure duration
EC50	>10000 mg/l	Microorganisms	ECHA	3 h

### 12.2 Persistence and degradability

Process	Degradation rate	Time
Carbon dioxide formation	80 %	28 d
Oxygen consumption	71 %	28 d

### 12.3 Bioaccumulative potential

Octanol/water partition coefficient (log Kow) >3 -<=6.2 ECHA  
The substance fulfills the criterion "very bioaccumulative".

### 12.4 Mobility in soil

The adsorption coefficient standardized to organic carbon is 3.729 (ECHA)

### 12.5 Results of the PBT and vPvB assessment

No data is available.

### 12.6 Endocrine disrupting properties

Not listed

### 12.7 Other adverse effects

No data is available.

### 12.8 Other information

No further information available

## SECTION 13: Disposal Considerations

### 13.1 Waste treatment methods

#### Waste treatment methods

This product and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal

Do not allow to enter drains.

#### Special precautions for any recommended waste treatment:

Waste must be separated in such a way that it can be treated separately by the municipal or national waste disposal facilities. Please observe the relevant national or regional regulations.

# Safety data sheet

## according to Regulation (EC) No. 1907/2006

**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Not subject to transportation regulations

#### 14.2 UN proper shipping name

**ADR/RID**

Not assigned

**IMDG-Code / ICAO-TI / IATA-DGR**

Not assigned

#### 14.3 Transport hazard classes

**ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR**

none

#### 14.4 Packing group

not assigned

#### 14.5 Environmental hazards

**Indicators for environmentally hazardous substances**

Not hazardous to the environment in accordance with dangerous goods regulations

#### 14.6 Special precautions for the user

No additional information is available.

#### 14.7 Maritime transport in bulk in accordance with IMO instruments

The freight is not transported in bulk.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU regulations**

**Approvals and/or restrictions on use**

**Restrictions according to REACH, Annex XVII**

Restricted substances (REACH, Annex XVII)				
Substance name	Name according to directory	CAS No.	Restriction	No.
Rosin	Substances in tattoo colors and permanent make-up	8050-09-7	R75	75

Legend R75: 1. shall not be placed on the market in mixtures for use for tattooing purposes and mixtures containing such substances shall not be used for tattooing purposes after January 4, 2022, if the substance or substances in question are present in the following circumstances: (a) for substances classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogenic substances of category 1A, 1B or 2 or germ cell mutagenic substances of category 1A, 1B or 2, if the concentration of the substance in the mixture is equal to or greater than 0.00005% by weight; b) for substances classified in Part 3 of Annex VI to Regulation (EC) No. 1272/2008 as toxic for reproduction category 1A, 1B or 2, if the concentration of the substance in the mixture is equal to or greater than 0,001 % by weight; c) for substances classified as skin sensitizers category 1, 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008, if the concentration of the substance in the mixture is equal to or greater than 0,001 % by weight; d) for substances classified as skin corrosives in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1A, 1B or 1C, as skin irritant category 2, as serious eye damage category 1 or as eye irritant category 2, if the concentration of the substance in the mixture is (i) at least 0,1 % by weight when used exclusively as a pH regulator and (ii) at least 0,01 % by weight in all other cases; (e) for substances listed in Annex II to Regulation (EC) No 1223/2009 (\*1), if the concentration of the substance in the mixture is at least 0.00005 % by weight; f) for substances for which Regulation (EC) No. 1223/2009 Annex IV column g (Type of product, body parts) of the table at least one of the following conditions is indicated: (i) "products to be rinsed off", (ii) "not to be used in products applied to mucous membranes", (iii) "not to be used in eye

# Safety data sheet

## according to Regulation (EC) No. 1907/2006



**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

products", if the concentration of the substance in the mixture is equal to or greater than 0,00005 % by weight; (g) for substances for which Regulation (EC) No 1223/2009 Annex IV column h (Maximum concentration in the ready-to-use preparation) or column i (Other) of the table, if the substance is present in the mixture in a concentration or otherwise in the mixture that does not comply with the condition specified in that column; h) for substances listed in Appendix 13 to this Annex, if the substance is present in the mixture in at least the concentration specified as the limit value for that substance in that Appendix. (2) For the purposes of this entry, the use of a mixture "for tattooing purposes" means the injection or introduction of the mixture into the skin, mucous membrane or eyeball of an individual by any process (including processes commonly referred to as permanent make-up, cosmetic tattooing, microblading and micropigmentation) with the aim of creating a mark or design on the individual's body. 3. where a substance not listed in Appendix 13 is subject to more than one of the items listed in paragraph 1(a) to (g), the strictest concentration limit laid down under the relevant items shall apply to that substance. If a substance listed in Annex 13 is also subject to at least one of the points referred to in paragraph 1(a) to (g), the concentration limit laid down in paragraph 1(h) shall apply to that substance. (4) By way of derogation, paragraph 1 shall not apply to the following substances until January 4, 2023: (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8); (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6). 5. if Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4. If, after January 4, 2021, Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended by classification or reclassification of a substance so that the substance becomes subject to paragraph 1(a), (b), (c) or (d) of this entry or becomes subject to a different one of those points than before, and the date of application of that first classification or reclassification is later than the date specified in paragraph 1 or paragraph 4 of this entry, as appropriate, that amendment shall be treated as taking effect on the date of application of the first classification or reclassification for the purposes of the application of this entry to that substance. 6. if Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 by the inclusion of a substance If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after January 4, 2021 by adding a substance or by amending the entry for the substance concerned so that the substance is covered by paragraph 1(e), (f) or (g) of this entry, or so that it is then covered by a different one of those points than before, and the amendment takes effect after the date specified in paragraph 1 or 4 of this entry, as appropriate, that amendment shall be treated as taking effect 18 months after the date of entry into force of the act making the amendment for the purposes of the application of this entry to the substance concerned. 7. suppliers placing a mixture on the market for use for tattooing purposes shall ensure that it is labeled after 4 January 2022. Suppliers placing a mixture for use in tattooing or permanent make-up on the market after January 4, 2022 shall ensure that it is labeled with the following information: a) the words "Mixture for use in tattooing or permanent make-up"; b) a reference number to uniquely identify the batch; c) the list of ingredients according to the nomenclature established in the glossary of common ingredient names referred to in Article 33 of Regulation (EC) No 1223/2009 or, if there is no common ingredient name, the IUPAC name. If there is no common ingredient name and no IUPAC name, the CAS and EC number. The constituents shall be listed in descending order by weight or volume of constituents at the time of formulation. Ingredient" means any substance added during formulation and present in the mixture for use for tattooing purposes. Impurities shall not be considered as ingredients. Where the name of a substance used as an ingredient for the purposes of this entry is already required by Regulation (EC) No 1272/2008 to be indicated on the label, that ingredient need not be identified in accordance with this Regulation; (d) the additional phrase 'pH regulator' for substances covered by paragraph 1(d)(i); (e) the phrase 'Contains nickel. May cause allergic reactions' if the mixture contains nickel below the concentration limit in Annex 13; f) the statement 'Contains chromium (VI). May produce an allergic reaction', if the mixture contains chromium (VI) below the concentration limit according to Annex 13; g) safety instructions for use, unless they already have to be indicated on the label according to Regulation (EC) No. 1272/2008. The information must be clearly visible, legible and indelible. The information shall be written in the official languages of the Member States in which the mixture is placed on the market, unless otherwise specified by the Member States concerned. Where the size of the packaging so requires, the information referred to in the first subparagraph except point (a) shall instead be included in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information stated on the packaging or in the instructions for use in accordance with this paragraph. (8) Mixtures not bearing the indication "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes. (9) This entry does not apply to substances which are gaseous at a temperature of 20 °C and a pressure of 101,3 kPa or which produce a vapor pressure above 300 kPa at a temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8). (10) This entry does not apply to the placing on the market of a mixture for use for tattooing purposes or to the use of a mixture for tattooing purposes if it is placed on the market exclusively as a medical device or accessory to a medical device within the meaning of Regulation (EU) 2017/745 or used exclusively as a medical device or accessory to a medical device within the same meaning. Where the mixture may not be placed on the market or used exclusively as a medical device or accessory to a medical device, the requirements of Regulation (EU) 2017/745 and those of this Regulation shall apply cumulatively

### List of substances subject to authorization (REACH, Annex XIV)/SVHC - Candidate List:

Not listed

### Seveso Directive 2012/18/EU (Seveso III)

Not assigned

### Decopaint guideline:

VOC content: 0.0 % 0.0 g/l

### Industrial Emissions Directive (IE Directive)

VOC content: 100 % 1.034 g/l

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Not listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR):

Not listed

### Water Framework Directive:

Not listed

### Regulation on the Marketing and Use of Explosives Precursors:

Not listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006



**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

## Regulation on drug precursors:

Not listed

## Regulation on Substances that Deplete the Ozone Layer (ODS):

Not listed

## Regulation on the Export and Import of Dangerous Chemicals (PIC)

Not listed

## Regulation on Persistent Organic Pollutants (POPs):

Not listed

## National regulations (GB)

### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Not listed

## Restrictions according to GB REACH, Annex 17

Not listed

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## National directories

Country	Directory	Status
AU	AIIC	Substance is listed
CA	DSL	Substance is listed
CN	IECSC	Substance is listed
EU	ECSI	Substance is listed
EU	REACH Reg.	Substance is listed
KR	KECI	Substance is listed
MX	INSQ	Substance is listed
NZ	NZIoC	Substance is listed
PH	PICCS	Substance is listed
TR	CICR	Substance is listed
TW	TCSI	Substance is listed
US	TSCA	Fabric is listed as "ACTIVE"

### Legend:

AIIC Australian Inventory of Industrial Chemicals

CICR Chemical Inventory and Control Regulation

DSL Domestic Substances List (DSL)

ECSI EC substance inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

KECI Korea Existing Chemicals Inventory

NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

# Safety data sheet

## according to Regulation (EC) No. 1907/2006

**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

TSCA Toxic Substance Control Act

### 15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this substance.

## SECTION 16: Other information

### 16.1 Change notes:

Version 1: Creation date 13.03.2024

### 16.2 Abbreviations and acronyms

Abbreviation	Description of the abbreviations used
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Convention concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (database of chemical compounds and their unique key, the CAS Registry Number)
CLP	Regulation (EC) No. 1272/2008 on classification, labeling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations Regulations for the transportation of dangerous goods, see IATA/DGR
DNEL	Derived No-Effect Level (derived exposure level without impairment)
EC50	Effective Concentration 50 % (Effective Concentration 50 %). The EC50 corresponds to the concentration of a tested substance that changes an effect (e.g. on growth) by 50 % in a given period of time
EC no.	The EC Inventory (EINECS, ELINCS and the NLP Inventory) is the source for the seven-digit EC number as an identification number for substances in the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances (European inventory of chemical substances available on the market)
EL50	Effective Loading 50 %: EL50 is the loading rate required to produce an effect in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances (European list of notified chemical substances)
ErC50	≡ EC50: in this method, the concentration of the test substance that leads to a 50 % decrease in either growth (EbC50) or growth rate (ErC50) compared to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA) (regulations for the transportation of dangerous goods by air)
ICAO	International Civil Aviation Organization (international civil aviation organization)
IMDG	International Maritime Dangerous Goods Code (international code for the carriage of dangerous goods by sea)
Index no.	The index number is the identification code given in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50 % (Lethal Concentration 50 %): LC50 is the concentration of a tested substance that leads to 50% lethality in a given period of time
LD50	Lethal Dose 50 % (Lethal Dose 50 %): LD50 is the dose of a tested substance that results in 50% lethality in a given time period
LGK	Storage class according to TRGS 510, Germany
LL50	Lethal Loading 50 %: LL50 is the loading rate that leads to a lethality of 50%
NLP	No-Longer Polymer (non-longer polymer)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration (estimated no-effect concentration)

# Safety data sheet

## according to Regulation (EC) No. 1907/2006

**Product name:** Classic Cantabile CE-200 E-Cello, natur matt, Classic Cantabile EV-90 4/4 E-Violine, natur matt, Classic Cantabile EV-90BK 4/4 E-Violine, schwarz, Classic Cantabile EV-90WH 4/4 E-Violine, weiß

**Item number:** 00036653, 00036652, 00039084, 00039086

**Revised on:** 14.04.2024

**Version number:** 1

**Replaces version number:** -

REACH	Registration, Evaluation, Authorization and Restriction of Chemicals (Registration, Evaluation, Authorization and Restriction of Chemicals)
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)
SVHC	Substance of Very High Concern
TRGS	Technical rules for hazardous substances (Germany)
VOC	Volatile organic compounds (volatile organic compounds)
vPvB	Very Persistent and very Bioaccumulative (very persistent and very bioaccumulative)

### 16.3 Important literature references and data sources

Regulation (EC) No. 1272/2008 on classification, labeling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.  
Transportation of dangerous goods by road, rail or inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG).  
Dangerous Goods Regulations (DGR) for the air transport (IATA) (regulations for the transportation of dangerous goods by air)

### 16.4 Classification and procedure used to derive the classification of mixtures according to Regulation (EC) No 1272/2008 [CLP]:

Not applicable, product is a substance

### 16.5 List of relevant hazard statements and/or safety instructions from sections 2 to 15

#### 16.6

#### Hazard warnings:

H317 May cause an allergic skin reaction

#### Safety instructions:

P261 Avoid breathing dust/fume/gas/mist/vapours/ spray..

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection

P302+P352 IF ON SKIN: Wash with soap and water.

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local requirements.

#### 16.7 Training instructions

#### 16.8 Additional notes

#### Disclaimer

The information in this safety data sheet is based on our best knowledge at the time of revision. The information is intended to provide you with guidelines for the safe handling of the product mentioned in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. If the product mentioned in this safety data sheet is mixed, blended or processed with other materials or undergoes processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The substance data mentioned under point 9 is safety-related information, but not a guarantee of properties. Warranties are excluded without clarification of the technical purpose and operating conditions. If you have any further questions, please do not hesitate to contact us.